

**SUPPLY OF ONE BACKHOE
RFP-MCC-2105
Addendum No. 1**

Page 1
July 7, 2021

To All Proponents of Request For Proposals RFP-MCC-2105:

The following addendum applies to this request for proposals (RFP) and shall be taken into account when preparing a submission.

This Addendum must be acknowledged in the Proposal Form.

The following changes or modifications shall be made to the RFP Documents:

INFORMATION TO PROPONENTS:

1. In 1. General Requirements, 1st paragraph, delete

‘The Municipality of the County of Cumberland (Municipality) invites Proposals for supply of a new backhoe with one year unlimited hours warranty from in-service date. This vehicle is to be delivered to Public Works in Parrsboro, Nova Scotia.’

and replace with

‘The Municipality of the County of Cumberland (Municipality) invites Proposals for supply of a new backhoe with a minimum one year warranty from in-service date. Proponent to provide details of warranty. This vehicle is to be delivered to Public Works in Parrsboro, Nova Scotia.’

2. In 7. Evaluation of Proposal, add the following after the table.

‘Allocation of points for Purchase Price will be prorated – Lowest Purchase will receive full points. Prices equal to or greater than 2 x lowest purchase price will receive zero points. Other prices will receive prorated points.’

BACKHOE - SPECIFICATIONS:

3. For all tables column that reads ‘SPECIFY’ should read ‘ACTUAL PROPOSED’. Replace Backhoe - Specifications with the attached Backhoe - Specifications, Addendum No. 1, July 7, 2021.

4. In SECTION **OPTIONAL EQUIPMENT/ATTACHMENTS**, 2nd item, delete information.

‘3 m snow push; hydraulic power angled; full trip edge with bolt on cutting edges and back drag; hydraulic quick coupler’

and replace with

‘3 m snow push; full trip edge with bolt on cutting edges and back drag; hydraulic quick coupler’

----- END -----

SPECIFICATIONS – RUBBER TIRE BACKHOE/LOADER:

GENERAL:	COMPLY		ACTUAL PROPOSED
Make (specify)	N/A	N/A	
Model (specify)	N/A	N/A	
Year	<input type="checkbox"/> Yes	<input type="checkbox"/> No	

ENGINE:	COMPLY		ACTUAL PROPOSED
Diesel	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Net Power min. 91 hp at 2200 RPM	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Net torque rise at 1400 rpm min. 322 ft-lb	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
-40°C engine coolant	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Air cleaner with dust evacuator and in-cab restrictor indicator	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Cold start aid	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Auto idle	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
EPA emissions certified	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
120 volt block heater, installed	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Oil sample ports	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Onboard diagnostic ports	<input type="checkbox"/> Yes	<input type="checkbox"/> No	

POWERTRAIN:	COMPLY		ACTUAL PROPOSED
4-wheel drive	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
4-speed transmission	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Engage on the fly at any speed	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Differential lock	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Throttle will be hand and foot controlled; interlocking	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Hydraulic boosted braking system	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Oil disc braking system	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Dual pedals	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Driveshaft guards	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Sealed axles	<input type="checkbox"/> Yes	<input type="checkbox"/> No	

BACKHOE - SPECIFICATIONS

ELECTRICAL SYSTEM:	COMPLY		ACTUAL PROPOSED
12-volt system	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Maintenance free battery with 750 cranking cold amps	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
120-amp alternator	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Battery Disconnect	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Boosting ports	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Front – 2 LED driving and 2 LED flood lights	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Rear – 2 LED flood and 2 LED spotlights	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
360° LED roof mounted strobe light, plug in	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Back up alarm	<input type="checkbox"/> Yes	<input type="checkbox"/> No	

BACKHOE/LOADER:	COMPLY		ACTUAL PROPOSED
Rear hoe digging depth minimum 5.1 m with extendable stick included	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Front loader height 3.3 m minimum to load trucks	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Standard length stabilizers with reversible pads and two anti-drift valves	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Quick manual coupler release for rear buckets	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Rear boom to be plumbed for hydraulic thumb	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Travel pin to lock boom with in-cab controls	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Front loader bucket to be minimum 1.15 m ³ with bolt on cutting edges, anti-spill rollback and loader safety arms	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Front loader plumbed for attachments (ie. angle blade, sweeper)	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
0.6 m digging bucket, min. five teeth, std. duty	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
0.9 m ditching bucket with bolt on cutting edge	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Front bucket level indicator	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Front bucket auto return	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Front Quick Attach/Detach System, hydraulic pin lock	<input type="checkbox"/> Yes	<input type="checkbox"/> No	

BACKHOE - SPECIFICATIONS

CABIN/OPERATORS STATION:	COMPLY		ACTUAL PROPOSED
ROPS/FOPS certified canopy	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Telescopic and tilt steering wheel	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Air conditioning/heater with fan	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Window defrost vent front and rear	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Intermittent windshield wipers and washer front and rear	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Air suspension cloth seat	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Instrument panel with full gauge package	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Low noise cabin	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
External mounted lockable toolbox	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Left and right, side mirrors	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Interior rear facing mirror	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Horn control	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
AM/FM Receiver with usb; mounted hidden speakers	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Bluetooth Compatible	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Seatbelt with retractor	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Tinted safety glass	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
In-cab lighting	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Front fenders	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Arm rests	<input type="checkbox"/> Yes	<input type="checkbox"/> No	

TIRES:	COMPLY		ACTUAL PROPOSED
Front, Michelin Crossgrip	N/A	N/A	
Rear, Michelin Crossgrip	N/A	N/A	

HYDRAULICS:	COMPLY		ACTUAL PROPOSED
Hydraulic Ride Control	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Pilot Controls (joystick)	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
SAE / excavator switch pattern selector	<input type="checkbox"/> Yes	<input type="checkbox"/> No	

COUNTERWEIGHTS:	COMPLY		ACTUAL PROPOSED
Any and all counterweights to be installed	<input type="checkbox"/> Yes	<input type="checkbox"/> No	

OPTIONAL EQUIPMENT/ATTACHMENTS:	COMPLY		ACTUAL PROPOSED
Hydraulic thumb	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
3 m snow push; full trip edge with bolt on cutting edges and back drag; hydraulic quick coupler	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Automatic greasing system	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Extended warranties (include literature)	<input type="checkbox"/> Yes	<input type="checkbox"/> No	